


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1882	(717/168-178).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/02 13:42
L2	10532	(713/155,161,164-165,168,170, 182,189,191,193-202).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/02 13:47
L3	9589	(709/220;223-225).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/06/02 13:48
L4	21108	1 2 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:48
L5	8795	4 and @ad<"20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:49
L6	0	((first or second)near authentica\$3) and (encrypt\$3 near manifest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:51
L7	4	authentica\$3 and (encrypt\$3 near manifest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:51
L8	1	7 and @ad<"20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:52
L9	8	manifest near encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:53
L10	0	9 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:53
L11	5	9 and @ad<"20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:55

L12	5	(makefile or (make adj file)) near2 encrypt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:57
L13	3	12 and @ad<"20001012"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 13:57


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 5 of about 7 for **"first authentication" encrypting manifest file**. (0.29 seconds)

Tip: Try removing quotes from your search to get more results.

GPk CardServices Home-Page

... logs for the main **file** of the package (ie, for **MANIFEST**) is provided below.

... Cryptographic keys that GPk uses for **encrypting** and decrypting data ...

www.gemplus.com/techno/opencard/cardservices/gpk/doc/README-GemplusGPk.html - 63k -

[Cached](#) - [Similar pages](#)

Gemplus Developers OpenCard Framework CardServices for Gemplus GPk ...

... Authentication APDUs always use the **first Authentication Key** (number 0). ...

logs for the main **file** of the package (ie, for **MANIFEST**) is provided below. ...

www.gemplus.com/techno/opencard/cardservices/gpk/doc/README-GemplusGPk.txt - 33k -

[Cached](#) - [Similar pages](#)

Kidd_Full

... **First, authentication** merely expands available methods to evidence ...

Although "authentication" applies to the process of **encrypting** a message to ...

cyber.law.harvard.edu/ilaw/Contract/Kidd1.html - 89k - [Cached](#) - [Similar pages](#)

[ps] The Logic of Authentication Protocols ? Paul Syverson 1 and Iliano ...

File Format: Adobe PostScript - [View as Text](#)

... This degree of authentication is usually attained by **encrypting** all the ...

This constitutes the essence of Gollmann's **first authentication** goal: ...

theory.stanford.edu/~iliano/papers/fosad00.ps.gz - [Similar pages](#)

[OCF] ANNOUNCE: GPk8000 CardServices

... Internal Authentication APDUs always use the **first Authentication Key** (number 0 ... Log

files for **MANIFEST** (from version ... can be done either by **encrypting** the data ...

www.mail-archive.com/opencard-dist@opencard.org/msg00017.html - 36k - Supplemental Result -

[Cached](#) - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 5 already displayed.

If you like, you can repeat the search with the omitted results included.

New! Get email updates of new web results for "first authentication" encrypting manifest file with Google Web Alerts.

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find: emails - files - chats - web history - media - PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

 Results 1 - 10 of about 19 for "**second authentication**" **manifest file**. (0.25 seconds)

EP1352677 Wms european software patent - Gaming software ...

 ... The game data set includes game data files and **second authentication** codes

 ... bank files, graphics files, a **manifest file**, and a digital signature 32. ...

gauss.flii.org/PatentView/EP1352677 - 57k - [Cached](#) - [Similar pages](#)

Chapter 2: Cisco ACNS Software Commands

 ... (Optional) Sets the **second authentication** method used. ... Adds the pre-positioned content described by the **manifest file** to this website and channel. ...

www.cisco.com/univercd/cc/td/doc/product/webscale/uce/acns52/cref52/5754ref.htm - 513k -

[Cached](#) - [Similar pages](#)

Graphics and Security: Exploring Visual Biometrics

 ... Initially, he says, the technology will **manifest** itself in government ...

 The entire matching process takes roughly 1 **second**. **Authentication** takes place ...

www.kroeker.net/published/graphics_and_security.htm - 51k - [Cached](#) - [Similar pages](#)

[doc] A search on the web utilising Google to look for documents ...

 File Format: Microsoft Word 2000 - [View as HTML](#)

 ... a **second authentication** method basically independent from the role model. ...

 for students with a **manifest** test anxiety- more research is still needed. ...

learning.ericsson.net/socrates/doc/germanyp3.doc - [Similar pages](#)

Table of Contents

 ... the existence of a **second authentication** mechanism was likely to cause hardship

 ... an application may wish to signal that the referent is a **Manifest**. ...

www.nue.et-inf.uni-siegen.de/projects/websig/internal/2000-04-30_DELIV-WP1/ - 265k - [Cached](#) - [Similar pages](#)

[PDF] WebSig DELIV-WP1

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... of a **second authentication** mechanism was likely to cause ... canonical version of the **manifest**, signing that with the signer's ...

www.nue.et-inf.uni-siegen.de/projects/websig/internal/2000-04-30_DELIV-WP1/deliv-wp1_final.pdf
[Similar pages](#)

[PDF] Encrypting for Database Security

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... details regarding the cargo **manifest** and the shipping schedule. ... Is key storage password protected (requires **second authentication**), In on OS file (...

csrc.nist.gov/organizations/fissee/conference/2004/presentations/Tuesday/UlfMattsson-FISSEA2004-030904.pdf
[Similar pages](#)

[PDF] Current innovation in commerce- enabling services

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... **Second, authentication** services may be based on what people know. ...

 These differences in payment culture also **manifest** themselves in online ...

https://doc.telin.nl/dscgi/ds.py/Get/File-29667/BITA_Overview_Commerce-enabling_services_D1_1_2_final.pdf -

[Similar pages](#)

[PDF] The Roadmap for the Revitalization of High-End Computing

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... In an actual parallel computer, such a representation formalism is **manifest** as

 ... **Second, authentication** is the process whereby an entity proves its ...

www.cra.org/reports/supercomputing.pdf - [Similar pages](#)

[PDF] 11.1(5) Caveats This section describes possibly unexpected ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... individual commands. A workaround is to use per-command authorization and log the occurrence in the accounting file. [CSCdi44140 ...

[www.prz.tu-berlin.de/docs/ misc/ciscodoc/data/doc/bugs/107022.pdf](http://www.prz.tu-berlin.de/docs/misc/ciscodoc/data/doc/bugs/107022.pdf) - Supplemental Result - [Similar pages](#)

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

New! Get email updates of new web results for "second authentication" manifest file with Google Web Alerts.


Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**Results 1 - 10 of about 6,920 for **encrypting manifest file**. (0.34 seconds)**Client Sample Programs [Rights Management Services]**... This sample also requires you to have created a **manifest file** called ...Next, the function creates an RMS **encrypting** object, using the EDIT right, ...msdn.microsoft.com/library/en-us/rms_sdk/rm/client_sample_programs.asp - 28k - [Cached](#) - [Similar pages](#)**Deployment and Operations (PAG Documentation)**... must create a folder that contains the **manifest file** and the application updates.... For more information about **encrypting** sections, see the Enterprise ...msdn.microsoft.com/library/en-us/dnpag2/html/uabch5.asp - 24k - [Cached](#) - [Similar pages](#)[\[More results from msdn.microsoft.com \]](#)**[PDF] Data Transmission to NCHS via the Internet**File Format: PDF/Adobe Acrobat - [View as HTML](#)... uploading/downloading and. **encrypting** data ... #5: -- Web server receives file and generates a **manifest file**-a simple ASCII file containing all known ...www.cdc.gov/nchs/data/dvs/VSCP_Trans.pdf - [Similar pages](#)**This example is from Java Examples in a Nutshell . (http://www ...**... **manifest file** for the specified files, or verifies * an existing **manifest file**.By default the **manifest file** is named * **MANIFEST**, but the -m option can ...examples.oreilly.com/jenut/Manifest.java - 14k - [Cached](#) - [Similar pages](#)**Network Computing with Java**... **MANIFEST file**; Example; Additional Jar and **Manifest File** Information ...Writing Class-Specific Serializing Methods; **Encrypting** a Bytestream ...www.openloop.com/internet_training/Java/netcom_java.htm - 11k - [Cached](#) - [Similar pages](#)**Java Web Start - Frequently Asked Questions (FAQ)**... Java Web Start does not support the Class-Path entry in the **manifest file**.... **Encrypting** the JAR files transferred from the server to the client may ...java.sun.com/j2se/1.5.0/docs/guide/javaws/developersguide/faq.html - 47k - [Cached](#) - [Similar pages](#)**weblogic.Deployer Command-Line Reference**... Specifies the location of a user key file to use for **encrypting** and ...or package does not include a implementation version in its **manifest file**. ...e-docs.bea.com/wls/docs90/deployment/wldeployer.html - 115k - [Cached](#) - [Similar pages](#)**.NET Application Updater Component**... A valid server **manifest file** for use with the .NET Application Updater ...If an application update is large, the cost of **encrypting** the update can ...www.windowsforms.net/articles/appupdater.aspx - 101k - Jun 1, 2005 - [Cached](#) - [Similar pages](#)**[PDF] Encrypting Java Archives and its Application to Mobile Agent Security**File Format: PDF/Adobe Acrobat - [View as HTML](#)... JAR Format devised by Sun does not provide mechanisms for **encrypting** ...mechanisms and the digests stored in the **Manifest file** of the JAR. ...www.semoa.org/docs/papers/vroth00d_amec.pdf - [Similar pages](#)**CodeGuru Forums - Zip And Jar**

... Implement a Centralized BizTalk File Creation Broker ... When i unpack the

jar file all the classes in there are still there and the **manifest file** is ...www.codeguru.com/forum/showthread.php?t=328749 - 60k - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for **encrypting manifest file** with Google Web Alerts.

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Google Desktop Search: Search your own computer. [Download now.](#)

Find:  emails -  files -  chats -  web history -  media -  PDF

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

encrypting manifest file

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 11 - 20 of about 6,920 for encrypting manifest file. (0.08 seconds)

Net Security Blog : November 2003 - Posts

... two **manifest files**, one ending with **.deploy** the other with **.manifest**.
Inside **.manifest file** (which is just an XML file), there is a TrustInfo section, ...
blogs.msdn.com/shawnfa/archive/2003/11.aspx - 56k - [Cached](#) - [Similar pages](#)

Copyright (c) 2000 David Flanagan. All rights reserved. * This ...

... This program creates a **manifest file** for the specified files, ...
System.out.flush(); // Compute the digital signature by **encrypting** a message digest of ...
www.csse.uwa.edu.au/programming/java-examples-2/com/davidflanagan/examples/security/Manifest.java - 17k -
[Cached](#) - [Similar pages](#)

Morphine PEiD Plugin

... Also, each file is created with a great degree of randomness, so **encrypting**
... (if present) and / or XP **Manifest** (if present) from the original file, ...
www.secretashell.com/BobSoft/Morphine.html - 13k - [Cached](#) - [Similar pages](#)

Encrypting variable-length strings with a password: doing it properly.

... some of which still **manifest** themselves on our older pages. ... Store ciphertext
either as a raw binary file or convert it to base64 or hexadecimal ...
www.di-mgt.com.au/properpassword.html - 17k - [Cached](#) - [Similar pages](#)

Chapter 15. File System and Archives

... and jar file creation, including compress or store and the **manifest text**. ...
Judo also provides some useful file utilities such as **file encrypting** and ...
www.judodscript.com/books/judodscript-0.9/chapters/fs.html - 72k - [Cached](#) - [Similar pages](#)

File Access Training - Learn file accesses study File Accessing ...

... You will also learn to secure files by implementing **Encrypting File System**.
... use the methods in the **Manifest** class to manipulate the **manifest file**. ...
www.training-classes.com/course_hierarchy/keyword_index/file_access.html - 48k - [Cached](#) - [Similar pages](#)

AgentStructure (SeMoA API Documentation)

... The default algorithm to use when **encrypting** agent data is DESede/CBC/PKCS5Padding
Value: ... The path to the **MANIFEST** file Value: META-INF/MANIFEST.MF ...
www.semoa.org/docs/api/de/fhg/igd/semoa/security/AgentStructure.html - 67k - [Cached](#) - [Similar pages](#)

The Index from Java I/O

... **encrypting** steps, 243 FileDecryptor (example), 247 FileEncryptor (example), 244
... **manifest file**, 198, 207 overview of, 197 JAR files (continued) ...
www.cafeaulait.org/books/javaio/ioindex.html - 50k - [Cached](#) - [Similar pages](#)


Manpage of XMLSEC1

... xmlsec is a command line tool for signing, verifying, **encrypting** and decrypting
... load private key from PEM file and certificates that verify this key ...
www.aleksey.com/xmlsec/xmlsec-man.html - 13k - [Cached](#) - [Similar pages](#)

A Look at Windows XP's Enterprise Features, Part Two

... multiple processors (XP Pro supports two), Microsoft IIS, the **Encrypting File**
System (EFS), Offline Files and Folders, ... 5, Common .pst File Questions ...
www.windowstpro.com/Article/ArticleID/23167/23167.html - [Similar pages](#)

New! Get email updates of [new web results for encrypting manifest file](#) with Google Web Alerts.




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



Web

Results 21 - 30 of about 6,920 for encrypting manifest file. (0.17 seconds)

Chapter 1. Revision Control, File Compression/Packaging, Ant ...

... into the server and **encrypting** data between your computer and the repository.

... use of a **manifest file** - this will be explained in detail in Lab2). ...

www.cc.gatech.edu/~atl431/Lab_1.htm - 104k - [Cached](#) - [Similar pages](#)

Copyright 2004, Oracle Corporation. All Rights Reserved ...

... The -m option signals to the program to follow **Manifests** within the ...

The new XML document is written to a **file**. 3) **Encrypting** an XML element or XML ...

www.oracle.com/technology/products/id_mgmt/phaos/xml22/doc/examples.txt - 9k - [Cached](#) - [Similar pages](#)

Solaris Security

... For each **file** being monitored, the **manifest** includes information about the **file's**

... Kerberos, IPsec, and end-users **encrypting/decrypting** data. ...

www.kernelthread.com/publications/security/solaris.html - 27k - [Cached](#) - [Similar pages](#)

Dev Articles

... the full 128 byte value into the **manifest** of the assembly **file** it outputs.

... a digital signature by **encrypting** the hash value of an assembly **file**. ...

www.devarticles.com/index2.php?option=content&task=view&id=666&pop=1&page=0&hide_js=1 - 18k -

[Cached](#) - [Similar pages](#)

[PDF] Dev Articles

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... value into the **manifest** of the assembly **file** it outputs. ... is used to generate

a digital signature by **encrypting** the hash value of an assembly **file**. ...

www.devarticles.com/index2.php?option=content&do_pdf=1&id=666&hide_js=1 - [Similar pages](#)

xmlsec1

... xmlsec is a command line tool for signing, verifying, **encrypting** and ...

information and exit -keys keys XML **file** manipulation -sign sign data and ...

linuxcommand.org/man_pages/xmlsec11.html - 10k - [Cached](#) - [Similar pages](#)

Cinnabar Canner User's Guide

... Canner prevents attack altogether by **encrypting** your code and resources and

... will examine the Class-Path **manifest** attribute of all included JAR **files** ...

www.cinnabarsystems.com/docs/canner/canner.html - 53k - [Cached](#) - [Similar pages](#)

XML Packages

... The **manifest file** used with JAR **files** is usually considered optional and may even

... the main document content without **encrypting** the binaries as well. ...

ooo.ximian.com/lxr/source/xml/www/package.html - 25k - [Cached](#) - [Similar pages](#)

Simon: XML Encryption

... and processing rules for **encrypting** both XML nodes and arbitrary data" ...

and a text **file** which is encrypted and stored directly in the <> element. ...

www.w3.org/2000/11/02-xml-encryption-ws/simon/ - 17k - [Cached](#) - [Similar pages](#)

Chapter 9. Java Gets Out of Its Box

... The **MANIFEST.MF** file contains details of the "payload" of the JAR. ...

a general purpose protocol for **encrypting** Web data and authenticating the server ...

medialab.di.unipi.it/doc/JNetSec/jns_ch9.htm - 68k - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for encrypting manifest file with Google Web Alerts.




Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**

Results 31 - 40 of about 6,920 for encrypting manifest file. (0.09 seconds)

V22.0480-003 Lab 3: Cryptographic file system... One of the complications of **encrypting** file data is that Rijndael operates on... This will most likely **manifest** itself as ./configure failing to run, ...www.scs.cs.nyu.edu/V22.0480-003/lab/cryptfs.html - 64k - [Cached](#) - [Similar pages](#)Zelix KlassMaster Java Obfuscator Change History... translate class and package names in OSGi style **manifest** files. ... by **encrypting** static final String field values in interfaces and classes. ...www.zelix.com/klassmaster/changes.html - 46k - [Cached](#) - [Similar pages](#)The Unofficial International PGP Home Page... Version_byte must be set to 2 before **encrypting**/signing messages to be ...Each zip file contains a **MANIFEST** signed by me which gives the MD5 digests of ...members.tripod.com/~Crompton/pgp.htm - 9k - [Cached](#) - [Similar pages](#)[PDF] Security and Protection for BeComm Strings SystemFile Format: PDF/Adobe Acrobat - [View as HTML](#)... composed of packages that contain beads, objects, rules and a **manifest** file.The ... is to use a kind of cryptography by **encrypting** passwords when ...www.cse.ucsd.edu/classes/ fa01/cse221/projects/group1.pdf - [Similar pages](#)SourceForge.net: File Release Notes and Changelog... Fixed fatal bug when **encrypting** to keys with multiple subkeys without explicit... fto bin * **MANIFEST**: add some forgotten files to **MANIFEST** 2001-05-07 ...https://sourceforge.net/project/ shownotes.php?release_id=34274 - 42k - [Cached](#) - [Similar pages](#)Markus Jansson's computer security forum / Markus Janssonin The meta-inf/**manifest.xml** file describes the structure of the XML file. ...For the time being, I suggest using PGP for **encrypting** OpenOffice documents. ...pub30.bravenet.com/forum/2576015307/show/334407 - 18k - [Cached](#) - [Similar pages](#)[doc] IMAGING PROPOSALFile Format: Microsoft Word 2000 - [View as HTML](#)... An example of the DACAT **manifest** can be viewed in the claim imaging fileexample in Appendix B. The ... Only one guarantor is **encrypting** with PKZIP. ...committees.nchelp.org/esc/dacat/ Shared%20Documents/IMAGING%20PROPOSAL.doc - [Similar pages](#)Brain.Save() - Thursday, 25 March 2004... After looking at the two assembly **manifest** files with ILDASM, I found that the... You construct your response, signing and **encrypting** it with the SCT. ...hyperthink.net/blog/default,date,2004-03-25.aspx - 137k - [Cached](#) - [Similar pages](#)Windows System Error Codes (exit codes)... and WinCommand task sometimes do not return any error messages, when your batch files fail. ... 14058 **Manifest** Parse Error : Unexpected end of file. ...www.hiteksoftware.com/knowledge/articles/049.htm - 156k - [Cached](#) - [Similar pages](#)Nutcracker family... By hooking INT 8 the viruses **manifest** themselves with sound effect ...AB2.6082,6100,6500" compress the block of a host file before **encrypting** it. ...www.avp.ch/avpve/bootmult/nutcrack.stm - 23k - Jun 1, 2005 - [Cached](#) - [Similar pages](#)

New! Get email updates of new web results for **encrypting manifest file** with Google Web Alerts.



Result Page: **Previous** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) **Next**

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web

Results 41 - 50 of about 6,920 for encrypting manifest file. (0.13 seconds)

[PDF] [Network Security Seminar Java Security Biometrics](#)

 File Format: PDF/Adobe Acrobat - [View as HTML](#)

 ... Alter the signature file. •. Possible. •. Add text to the **manifest** ...

 Offers signing, **encrypting**, SSL, etc. •. Implementation independence ...

www.fmi.uni-passau.de/lehrestuehle/demeer/seminars/ss_04/NetSec_ss_04/Final-presentation/Java-Biometrics.pdf - [Similar pages](#)

[Rechenzentrum Uni KA - Fehlernummern \(10004 - 14080\)](#)

 ... 13866, Error **encrypting** payload. ERROR_IPSEC_IKE_ENCRYPT ... referenced directly or indirectly by the application **manifest** have files by the same name. ...

www.rz.uni-karlsruhe.de/dienste/2115.php - 74k - [Cached](#) - [Similar pages](#)

[SafeSite - MIS > Security: Encryption Related](#)

 ... CD-Lock provides excellent security by **encrypting** your files with Blowfish

 ... is kept with the assembly in a part of the file called the **Manifest**. ...

www.safesite.com/category.php%5Baction%5Dbrowse&i=120&id=253&f=%7C%7C%7C%7C&s=product.dat... - 50k - [Cached](#) - [Similar pages](#)

[doc] [Windows XP: Kernel Improvements Create a More Robust, Powerful ...](#)

 File Format: Microsoft Word 2000 - [View as HTML](#)

 ... The **Encrypting** File System (EFS) is no longer a separate driver in ...

 An assembly's **manifest** file typically has a name that includes the name of the ...

www.tomax7.com/winxp/Windows%20XP%20Paper.doc - [Similar pages](#)

[Certificates and PKCS support](#)

 ... as well as **encrypting** data using the recipient's public key. ... Its file name is the name of the executable with a ".**manifest**" suffix. ...

www.theserverside.net/articles/content/NewSecurityFeatures/NewSecurityFeatures.html - 23k - [Cached](#) - [Similar pages](#)

[Cryptography in the ZIP2 System](#)

 ... So just **encrypting** the file content Chunk leaves other information about the

 ... If a Chunk listed in the KSH **manifest** is missing or doesn't check, ...

www.dlugosz.com/ZIP2/crypto.html - 23k - [Cached](#) - [Similar pages](#)

[xml:](#)

 ... the JAR **manifest** file should be replaced by an XML-based **manifest** file. ...

 encrypt the main document content without **encrypting** the binaries as well. ...

xml.openoffice.org/package.html - 32k - [Cached](#) - [Similar pages](#)

[Windows XP](#)

 ... a **manifest** file? bhlsggo.exe and wuauimg.exe are the infected files i got ...

 File and Print Sharing and Security; **Encrypting** File System (EFS) and ...

www.softwaretipsandtricks.com/forum/archive/index.php/f-21-p-16.html - 22k - [Cached](#) - [Similar pages](#)

[Deployment Tools Reference](#)

 ... Specifies the location of a user key file to use for **encrypting** and ...

 Deployment requests provided through the DeployerRuntimeMBean **manifest** the ...

e-docs.bea.com/wls/docs81/deployment/tools.html - 61k - [Cached](#) - [Similar pages](#)

[SourceForge.net: File Release Notes and Changelog](#)


 ... 18:45 flobin * **MANIFEST**: add some forgotten files to **MANIFEST** 2001-05-07 ...

<http://www.google.com/search?q=encrypting+manifest+file&hl=en&lr=&start=40&sa=N>

fix SourceForge-listed Bug #115734 (**encrypting** large messages fails). ...

https://sourceforge.net/project/shownotes.php?group_id=1628&release_id=34938 - 43k - [Cached](#) - [Similar pages](#)

New! Get email updates of [new web results for encrypting manifest file](#) with Google Web Alerts.




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

[Advanced Search](#)
[Preferences](#)
Web

Results 51 - 60 of about 6,920 for encrypting manifest file. (0.10 seconds)

MILLCENT

... You must create a **manifest file** and include it in the JAR file. A **manifest file** contains information about a cassette's dependencies and the location of ...

www.infosys.tuwien.ac.at/Staff/pooh/Minstrel/E-Commerce/Millicent/Millicent.html - 53k - [Cached](#) - [Similar pages](#)

[PDF] Alternative Component Architectures for Java

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... to serialize a component in an unusual way, perhaps compressing it or **encrypting** ...
 ... For each signed file, the **manifest file** lists the message digest ...

www.faisoncomputing.com/publications/presentations/1997/BorCon97/AlternativeComponentArchitecturesforJava.pdf - [Similar pages](#)

[PS] Encrypting Java Archives and its Application to Mobile Agent ...

File Format: Adobe PostScript - [View as Text](#)

... for **encrypting** parts of the archive; only digital signatures are covered. ...
 mechanisms and the digests stored in the **Manifest file** of the JAR. ...

www.iia.csic.es/AMEC/BOOK/articles/paper41.ps - [Similar pages](#)

Report on XML Packaging

... adding metadata about the relationships between **files**, compressing, **encrypting**, ...
 ... What follows is an example of what a **manifest file** could look like: ...

www.w3.org/1999/07/xml-pkg234/Overview - 34k - [Cached](#) - [Similar pages](#)

[PDF] User Manual

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... manufacturer information in its **manifest file**. ... Via this method, the application can get an object for **encrypting** and decrypting data. ...

jce.iaik.tugraz.at/products/13_PKCS11_ME/Manual.pdf - [Similar pages](#)

Chapter 17: Monitoring the ACNS Network

... If the root Content Engine is processing an updated **manifest file** or has found ...
 ... Engines by authenticating and **encrypting** packets over the network. ...

www.cisco.com/univercd/cc/td/doc/product/webscale/uce/acns51/deploy51/51monitr.htm - 209k - [Cached](#) - [Similar pages](#)

Chapter 18: Monitoring the ACNS Network

... Time when the **manifest file** was last saved, as recorded on the Content Engine.

... Engines by authenticating and **encrypting** packets over the network. ...

www.cisco.com/univercd/cc/td/doc/product/webscale/uce/acns52/dcg52/5645mntr.htm - 313k - [Cached](#) - [Similar pages](#)

The Code Project - Building Snap-In Applications: Appendix A, Code ...

... that most people consider: **encrypting** messages and **encrypting** signatures. ...
 available to insert a key signature in the **Manifest** of a given assembly. ...

www.thecodeproject.com/csharp/SnapInSigned1.asp - 48k - [Cached](#) - [Similar pages](#)

TheServerSide.NET - New Security Features in .NET 2.0

... The runtime enhances security of SecureStrings by **encrypting** them. ... Its file name is the name of the executable with a "**manifest**" suffix. ...

www.theserverside.net/articles/showarticle.tss?id=NewSecurityFeatures - 48k - [Cached](#) - [Similar pages](#)

XML.com: Wrap Your App

... They can be made secure, by, for example, **encrypting** all the ZIP content ... here) and the **manifest** format used to describe the contents of a bundle. ...

www.xml.com/lpt/a/2001/11/21/wrap-yr-app.html - 16k - [Cached](#) - [Similar pages](#)

New! Get email updates of [new web results for encrypting manifest file](#) with Google Web Alerts.




Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

**Web**

Results 61 - 70 of about 6,920 for encrypting manifest file. (0.31 seconds)


The Code Project - Building Snap-In Applications: Appendix A, Code ...Here's what that section of the **manifest** looks like if I, and only I, sign it.

... Both files, when opened in a text editor, look like garbage, ...

www.thecodeproject.com/csharp/SnapInSigned1.asp - 48k - [Cached](#) - [Similar pages](#)**Java Web Start FAQ**Can I rely on Class-Path in the **Manifest** file? Can I use Java Web Start even ...**Encrypting** the JAR files transferred from the server to the client may not ...java.sun.com/products/javawebstart/faq.html - 62k - [Cached](#) - [Similar pages](#)**Java Network Programming, 3rd Edition Index****encrypting** streams, 89-91 encryption system overhead required by, 371 ...**manifest** files, 550 JarURLConnection class, 549-551 methods, 550 ...www.cafeaulait.org/books/jnp3/jnpindex.html - 109k - [Cached](#) - [Similar pages](#)**[PDF] COPYRIGHTED MATERIAL**File Format: PDF/Adobe Acrobat - [View as HTML](#)**encrypting** and decrypting data, 603-604. **encrypting** serializable classes ...index file for, 634-635. installing as an extension, 620. **manifest** file for ...media.wiley.com/product_data/excerpt/68/07645748/0764574868-2.pdf - [Similar pages](#)**KoXmlWriter class Reference**Special helper for writing "**manifest**" files This is equivalent to ... have tochange (or not be used anymore) when we add support for **encrypting**/signing. ...www.koffice.org/developer/apidocs/lib/html/classKoXmlWriter.html - 43k - [Cached](#) - [Similar pages](#)**[PDF] Alternative Component Architectures for Java**File Format: PDF/Adobe Acrobat - [View as HTML](#)The **manifest** may also contain a list of all the files in the JAR, but not necessarily. For each signed file, the **manifest** file lists the message digest ...www.faisoncomputing.com/publications/presentations/1997/BorCon97/AlternativeComponentArchitecturesforJava.pdf - [Similar pages](#)**[PDF] Microsoft PowerPoint - security101.ppt**File Format: PDF/Adobe Acrobat - [View as HTML](#)of the **manifest** file (a hash of the **manifest** file, encrypted with the privatekey associated with ... server by automatically **encrypting** all data. ...www.holub.com/publications/notes_and_slides/security101.pdf - [Similar pages](#)**Cracking Strong Named .NET Assemblies**Signing involves performing a one way hash over the assembly, **encrypting** the hashwith the ... or files other than the PE file that contains the **manifest**. ...www.grimes.demon.co.uk/workshops/fusionWSCrackTwo.htm - 11k - [Cached](#) - [Similar pages](#)**.NET 247 : microsoft.public.dotnet.security**in class1 am **encrypting** an xml string ct mCSP.CreateEncryptor(key, IV); byt Encoding.... Anyone have an idea how to sign a **manifest.xml** file with an X.509 ...www.dotnet247.com/247reference/___site/608 - 47k - [Cached](#) - [Similar pages](#)**ACM: Digital Library: Communications of the ACM**File List. The **manifest** includes a list of all files that make up the assembly.... The owner of an assembly produces a digital signature by **encrypting** the ...

portal.acm.org/ft_gateway.cfm?id=570929&type=html - [Similar pages](#)

New! Get email updates of new web results for **encrypting manifest file** with Google Web Alerts.



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google